

**From:** Richard Fetzer/R3/USEPA/US  
**Sent:** 5/17/2012 2:03:30 PM  
**To:** Fred Foreman/ESC/R3/USEPA/US@EPA  
**CC:** Kelley Chase/R3/USEPA/US@EPA; Richard Rupert/ESC/R3/USEPA/US; sgraves@techlawinc.com  
**Subject:** Re: Fw: Dimock Round 1 Supplemental & Round 2 WPs

OK. We are calling residents and scheduling sampling appointments (if available) on Tuesday morning.

Rich

Richard M. Fetzer  
Federal On-Scene Coordinator  
100 Gypsum Road  
Stroudsburg, PA 18360  
(215) 341-6307

**From:** Fred Foreman/ESC/R3/USEPA/US  
**To:** Richard Fetzer/R3/USEPA/US@EPA  
**Cc:** Kelley Chase/R3/USEPA/US@EPA, Richard Rupert/R3/USEPA/US, Suddha Graves <sgraves@techlawinc.com>  
**Date:** 05/17/2012 12:29 PM  
**Subject:** Re: Fw: Dimock Round 1 Supplemental & Round 2 WPs

Rich,

I don't foresee any delays. My folks are reviewing the SAPs as I write this and should have complete with comments by Friday, Monday at the latest.

Fred Foreman, Chief  
Technical Services Branch  
Office of Analytical Services & Quality Assurance  
US EPA Region III  
Ft. Meade, Maryland  
410-305-2629

**From:** Richard Fetzer/R3/USEPA/US  
**To:** Suddha Graves <sgraves@techlawinc.com>  
**Cc:** foreman.fred@epa.gov, Kelley Chase/R3/USEPA/US@EPA, Richard Rupert/ESC/R3/USEPA/US  
**Date:** 05/17/2012 10:54 AM  
**Subject:** Fw: Dimock Round 1 Supplemental & Round 2 WPs

Suddha, I am assuming you are taking care of this.

Fred, will this cause a delay in our sampling event next week?

Rich

Richard M. Fetzer  
Federal On-Scene Coordinator

100 Gypsum Road  
Stroudsburg, PA 18360  
(215) 341-6307

----- Forwarded by Richard Fetzter/R3/USEPA/US on 05/17/2012 10:53 AM -----

From: Elaine Stiles/ESC/R3/USEPA/US  
To: Richard Fetzter/R3/USEPA/US@EPA  
Cc: R3 ESC-QA  
Date: 05/17/2012 09:43 AM  
Subject: Dimock Round 1 Supplemental & Round 2 WPs

Richard,

Please expect about 7 days from today for completion of the review and submission of comments for this document. However, in accordance with protocol, a QA Request form is necessary to ensure the reviewers have all the necessary information. I have attached a copy of the form for your convenience. Please save a blank copy for future requests and return a completed copy for the two Work Plans in an email so that the review process can work as efficiently as possible. If you have any questions, feel free to contact Fred Foreman, Chief, OASQA's Technical Services Branch.

Thank you for your patience and cooperation in submitting this document for review.

Elaine

Elaine Stiles  
NAHE, SEE  
DAS/QA Coordinator  
Technical Services Branch OASQA  
EPA Region III  
701 Mapes Road, MS 3EA22  
Ft. Meade, MD 20755-5350  
410-305-2684  
410-305-3095 (fax)  
stiles.elaine@epa.gov [attachment "QA Request Form\_Fill&Print 13Oct2009.pdf" deleted by Fred Foreman/ESC/R3/USEPA/US]